according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Revision date: 14/09/2017

Date of previous issue:

Version: 1.1

# Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## **1.1 Product identifier**

Commercial Product Name : Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Fertilizer. For consumers and professional users.

# 1.3 Details of the supplier of the safety data sheet

Company (Distributor)	: HELLAGROLIP SA Pentelis 34A 175 64, Palaio Faliro e-mail: <u>g.director@hellagrolip.com</u> www.hellagrolip.com
Telephone	: +30 2510 317127 και +30 2130 037616
Fax	: +30 210 9408198

### **1.4 Emergency telephone number**

In case of medical emergencies, please contact your local poison control center. Company's Telephone: +30 2510 317127 και +30 2130 037616 (08:30 to 16:30)

# SECTION 2: HAZARDS IDENTIFICATION

# **2.1 Classification of the substance or mixture**

# Classification (REGULATION (EC) No 1272/2008) - CLP

Eye Irrit. 2H319: Causes serious eye irritation.Aquatic Chronic 3H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements CLP

### Hazard pictograms:



Signal word

Warning

### **Hazard Statements:**

H319Causes serious eye irritation.H412Harmful to aquatic life with long lasting effects.

### Precautionary Statements:

General:

P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children.

### Prevention

P280: Wear protective gloves/protective clothing/eye protection/face

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Version: 1.1

Date of previous issue:

Revision date: 14/09/2017

# Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

protection.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

Disposal

P501: Dispose of contents/container to local/regional/national/international regulations.

### Hazardous components which must be listed on the label:

Ammonium nitrate

### 2.3 Other hazards

None known.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

### Classified components according to EU Chemicals Legislation:

	CAS No		Concentration [% w/w]	
Chemical name	EINECS No	Classification (1272/2008/EC)		
	Registration No		[/•/]	
	6484-52-2		40 %	
Ammonium nitrate	229-347-8	Ox. Sol. 2, H272		
Annonium nitrate	01-2119490981-27-	Eye Irrit. 2, H319		
	XXXX			
	10377-60-3			
Magnesium nitrate	01-2119491164-38-	Ox. Sol. 2, H272	2 %	
Magnesium mittate	XXXX	Eye Irrit. 2, H319	Ζ %	
		<u> </u>		
Magnesium oxide	1309-48-4			
	215-171-9	Aquatic Chronic 1, H410	< 2%	

#### **Further information**

The components in this formulation do not meet the criteria for classification according to Regulation (EC)No. 1907/2006 as PBT or vPvB.

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

### **General advice**

: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off contaminated clothing and shoes immediately.

If inhaled

: Avoid dust formation during use. Inhalation of dust may cause irritation of the respiratory system.

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Version: 1.1

Date of previous issue:

Revision date: 14/09/2017

## **Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B** In case of respiratory tract irritation, consult a physician.

In case of skin contact	<ul> <li>After contact with skin, first remove product with a dry cloth and then wash the skin with plenty of water.</li> <li>Take off immediately all contaminated clothing and wash it before reuse.</li> </ul>
In case of eye contact	<ul> <li>In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids open.</li> </ul>
If swallowed	<ul> <li>Typically no exposure pathway. If accidentally swallowed, rinse the mouth with plenty of water (only if the person is conscious) and ask immediately for medical help</li> </ul>

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms upon:

- Inhalation: Cough, Headache, Sore throat
- Skin contact: Redness
- Eye contact: Causes serious eye irritation.
- Ingestion: Abdominal pain, Convulsions, Diarrhoea, Dizziness, Vomiting, Weakness

### **4.3 Indication of any immediate medical attention and special treatment needed** Provide symptomatic treatment..

# SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media		
Suitable extinguishing media	:	Water, water spray.
Unsuitable extinguishing media	:	Powder, foam or sand.
5.2 Special hazards arising from the sub	osta	ance or mixture
Specific hazards during firefighting	:	In case of a fire or decomposition involving various nitrogen-based fertilizers, hazardous decomposition products will be formed, such as: irritating, corrosive and/or toxic gases. Exposure to decomposition products may cause serious damage to health. No action shall be taken involving any personal risk or without suitable training. Keep away all personnel not involved in firefighting team. Approach the fire from upwind to avoid exposure to toxic fumes. If it is possible move the product containers from the fire area without risk. Use self-contained breathing apparatus when entering fumes. For cooling of packages that are close to the fire area use: water spray.
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for incidents with

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



### Version: 1.1

Date of previous issue:

Revision date: 14/09/2017

Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

Further information

chemical substances.

: Attention! The product contains oxidizing agent at a rate below the classification limit (see section 3), which may intensify fire.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local authority requirements.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Avoid inhalation of dust. Ensure sufficient ventilation especially in enclosed spaces.

Eliminate all ignition sources. Keep all unnecessary personnel away. Wear gloves and overalls. Do not touch or walk through spilt material.

### **6.2 Environmental precautions**

Heavy spillage may cause adverse environmental impact in surface waters, such as eutrophication or contamination by nitrates. In case of contamination of rivers and lakes or drains, inform respective authorities.

Create mounds with suitable materials e.g. sand, to prevent molten ammonium nitrate from entering the drains.

### 6.3 Methods and material for containment and cleaning up

If it is possible stop leak of the product without risk. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

During cleanup, you should wear appropriate PPE, to prevent any skin/eye contact and inhalation of dust. Avoid creating dust during clean-up. Do not use compressed air to clean up spills.

Environmental manager must be informed immediately of all major spillages. Collect the uncontaminated dispersed product with a clean shovel and place the material into a clean, dry container/bag for re-use, ONLY if it is not contaminated by substances such as organic materials, metal powders, compounds containing chlorine and alkalis which may reduce the resistance of AN to explosion. Otherwise, carry out a risk assessment, as the risk depends on the nature and quantity of the contaminant.

Products which are out-of-specification or contaminated by incompatible materials (see 10.5), should be disposed of as hazardous waste according to national regulations.

### 6.4 Reference to other sections

Refer to section: 7, 8, 11, 12 and 13.

# SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling		
Advice on safe handling	<ul> <li>Avoid eye and excessive skin contact. Use only with adequate ventilation.</li> <li>Wear personal protection equipment (Refer to section 8).</li> <li>Do not eat, drink or smoke when handling.</li> <li>Wash hands after handling.</li> </ul>	
Advice on protection against fire and explosion	Keep away from heat and sources of ignition - No smokin The risk of fire (or decomposition) can increase particularly if the product is spilled and contaminated wit combustible materials such as coal, grain, sawdust, oi grease or elemental sulphur.	e h
Dust explosion class	: Not applicable.	

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Version: 1.1

Revision date: 14/09/2017

Date of previous issue:

# Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in accordance with local regulations. Store away from combustible materials. Handle bags with care. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Advice on common storage	:	Separate from reducing agents, combustible or flammable materials. Keep away from food, drink and animal feedingstuffs.
Storage Temperature	:	Ambient temperature (5 - 30°C).
Other data	:	The product is hygroscopic.
7.3 Specific end use(s)		

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Fertilizer.

	EINECS	CAS-No		WEL-T	WA <sup>(4)</sup>	WEL-S	TEL <sup>(5)</sup>	_
Chemical name	(1)	(2)	Note: <sup>(3)</sup>	ppm <sup>(6)</sup>	mg/m <sup>3</sup>	ppm <sup>(6)</sup>	mg/m <sup>3</sup> (7)	Source

<sup>(1)</sup> EINECS: European Inventory of Existing Chemical Substances

<sup>(2)</sup> CAS: Chemical Abstract Service Registry Number.

<sup>(3)</sup> The notation "skin" (D), implies the possibility of a significant absorption through the skin when in direct contact with the substance.

<sup>(4)</sup> WEL-TWA: Workplace Exposure Limit - Time-Weighted Average value of exposure over the course of an 8 hour work shift.

<sup>(5)</sup> WEL-STEL: Workplace Exposure Limit - Short-term exposure limit (15-minute reference period)

<sup>(6)</sup> ppm: parts per million volume in air (ml/m3).

(7) mg/m<sup>3</sup>: measured at a temperature of 20 °C and atmospheric pressure (101,3 kPa).

### **8.2 Exposure controls**

#### Appropriate engineering controls

Prevent generation of dust. Provide adequate ventilation in work and storage areas.

### Personal protective equipment

Respiratory protection	<ul> <li>Special respiratory protection measures are not required when applied under normal or reasonably foreseeable conditions of use and in a well ventilated area. In case of inadequate ventilation and/or dust formation wear respiratory protection.</li> <li>Recommended: half-mask for dust/particles (EN 149) or half-mask (EN 140) with filter type P1 or FFP1 for dust (EN 143).</li> </ul>
<u>Hand protection</u> Material	: Impervious chemical resistant protective gloves (EN 374, EN 420) and gloves for protection from mechanical risks (EN 388).

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Version: 1.1

Date of previous issue:

Revision date: 14/09/2017

Fertilizer Complefert magn	ni-b	or 20-5-10+18SO <sub>3</sub> +2MgO+0,5B
Glove thickness Break through time	:	
General remarks	:	Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
Eye/face protection	:	In case of splash risk. wear safety glasses with side- shields conforming to EN166.
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
<u>Hygiene measures</u>	:	<ul> <li>Recommended protection measures which should be taken into account, when handling chemicals:</li> <li>General practical hygiene measures.</li> <li>Do not breathe vapour /cloud /gas /dust.</li> <li>When using do not eat, drink or smoke.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with skin, eyes and clothing. Take off contaminated clothing and wash before reuse.</li> </ul>
Environmental exposure controls		
General advice	:	Do not dispose into surface water or sanitary sewer system. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Prevent further leakage or spillage if possible without risk. If the product contaminates rivers and lakes, inform respective authorities.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: Solid
Colour	: Red
Odour	: Characteristic
Flash point	: The product itself is not combustible
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Autoignition temperature	: No data available
Explosive properties	: Ammonium nitrate melts on heating and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides. Heating under strong confinement can lead to explosive behaviour. This product has high resistance to detonation
Lower explosive limit	: Not applicable
Upper explosive limit	: Not applicable
рН (20 °С)	: No data available
Boiling point/boiling range (°C)	: Not applicable
Vapour pressure	: Not applicable
Density	: Not applicable

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Version: 1.1

Revision date: 14/09/2017

Date of previous issue:

# Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

Relative density Solubility in water Solubility in other solvents Partition coefficient noctanol/water: Viscosity, dynamic Viscosity, kinematic Oxidising properties

: Not applicable

- : No data available
- : No data available

: No data available

- : Not applicable
- : Not applicable
- : The product contains oxidizing agent at a rate below the classification limit (see section 3), which may intensify fire.

## 9.2 Other information

None known.

# SECTION 10: STABILITY AND REACTIVITY

### **10.1 Reactivity**

Contamination with incompatible materials such as acids, chromates, chlorinated chemicals and various metals such as zinc and copper and their salts may increase the risk of decomposition.

### **10.2 Chemical stability**

The material is stable under normal conditions of use and storage and will not decompose spontaneously. Though, may decompose when heated. The risk of decomposition dependents upon the temperature of the heat source, the duration of exposure to the heat source and the containment of the fertilizer.

### **10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

### **10.4 Conditions to avoid**

May decompose when heated. Cross-contamination of the fertilizer with other chemicals must be avoided.

### **10.5 Incompatible materials**

Materials to avoid: Reducing agents, Powdered metals, Strong acids.

### **10.6 Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products is not possible to be produced. May decompose when heated. Decomposition may release toxic gases such as NOx, N<sub>2</sub>O, ammonia, or nitric acid vapors.

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### Dangerous health implications

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits (see section 8), it may result in adverse effects on health depending on the means of exposure.

### 11.1.1. Ingestion:

Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for ingestion (see section 3).

### 11.1.2. Inhalation:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation (see section 3).

### 11.1.3. Contact with the skin and the eyes:

Causes serious eye irritation. (see section 3).

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



#### Version: 1.1 Revision date: 14/09/2017 Date of previous issue: Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B 11.1.4. CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction): Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned (see section 3). 11.1.5. Respiratory or skin sensitisation: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensibilizing effects (see section 3). 11.1.6. Specific target organ toxicity (STOT)-single exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. (see section 3). 11.1.7. Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified, as dangerous for inhalation (see section 3). 11.1.8. Aspiration hazard: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect (see section 3). Given the available data of the individual components Acute toxicity (oral) Ammonium nitrate : LD50 (oral-rat): 2.950 mg/kg (OECD 401) Magnesium nitrate : No data available Magnesium oxide : LD50 (oral-rat): 3870-3990 mg/kg Acute toxicity (inhalant) : LC50 (inhalation-rat): 88,8 mg/L Ammonium nitrate No data available Magnesium nitrate Magnesium oxide No data available Acute toxicity (dermal) : LD50 (dermal-rat): > 5.000 mg/kg (OECD 402) Ammonium nitrate Magnesium nitrate : No data available Magnesium oxide : No data available Acute toxicity (other routes of administration) Ammonium nitrate : No data available Magnesium nitrate : No data available Magnesium oxide : No data available Skin corrosion/irritation Skin irritation Ammonium nitrate : No data available Magnesium nitrate : No data available Magnesium oxide : No data available Serious eye damage/eye irritation Ammonium nitrate : No data available Magnesium nitrate No data available : No data available Magnesium oxide **Respiratory or skin sensitization** : No data available Ammonium nitrate Magnesium nitrate : No data available Magnesium oxide 2 No data available CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction) Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned (see section 3).

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Version: 1.1

Date of previous issue:

# Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

: No data available

No data availableNo data available

: No data available

: No data available

: No data available

No data availableNo data available

: No data available

: No data available

: No data available

: No data available

# STOT - single exposure

Ammonium nitrate Magnesium nitrate Magnesium oxide

## STOT - repeated exposure

Ammonium nitrate Magnesium nitrate Magnesium oxide

### **Aspiration hazard**

Aspiration toxicity Ammonium nitrate Magnesium nitrate Magnesium oxide

### **Neurological effects**

Ammonium nitrate Magnesium nitrate Magnesium oxide

#### **Toxicology Assessment**

<u>Toxicology, Metabolism, Distribution</u> No data available <u>Acute effects</u> No data available

### **Further information**

No data available

# SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b> <u>Toxicity to fish</u> Ammonium nitrate Magnesium nitrate Magnesium oxide	<ul> <li>No data available</li> <li>No data available</li> <li>No data available</li> </ul>
<u>Toxicity to daphnia and other aquatic inverteb</u> Ammonium nitrate Magnesium nitrate Magnesium oxide	p <u>rates</u> : EC50 (Daphnia): 490 mg/kg : No data available : No data available
<u>Toxicity to bacteria:</u> Ammonium nitrate Magnesium nitrate Magnesium oxide	<ul><li>LC50: 1.700 mg/L</li><li>No data available</li><li>No data available</li></ul>
12.2 Persistence and degradability Biodegradability	: The product is expected to be biodegradable.
12.3 Bioaccumulative potential Bioaccumulation	: No data available
12.4 Mobility in soil Surface tension	: No data available
<b>12.5 Results of PBT and vPvB assessment</b> The product does not meet the criteria for classificatio	n as PBT or vPvB.

Revision date: 14/09/2017

#### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015 Version: 1.1 Revision date: 14/09/2017 Date of previous issue: Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B 12.6 Other adverse effects Additional ecological information : Prevent surface and ground-water infiltration, as well as ground penetration. SECTION 13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods Advice on disposal and packaging Disposal: According to National and European regulations. It should not be disposed of with household wastes. The appropriate waste code(s) should be assigned by the user, based on the product usage. The following Waste Codes are only suggestions: EWC disposal code no. (unused product): Waste Code (EWC) : 06 10 02 wastes containing dangerous substances (M) = Mirror entry EWC disposal code no. (uncleaned packaging): Disposal of uncleaned packaging 15 01 10\*(M) packaging containing residues of or (EWC) contaminated by dangerous substances

# SECTION 14: TRANSPORT INFORMATION

The product is not subject to international regulations governing the transport of dangerous goods (ADR/RID, IMDG, ICAO/IATA).

(M) = Mirror entry

for recycling.

### SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

2

2

:

#### VOC (1999/13/EC)

- Not applicable.
- Seveso III DIRECTIVE 2012/18/EU OF THE EUROPEAN **PARLIAMENT AND OF THE** COUNCIL on the control of major-accident hazards involving dangerous substances
- Not applicable.

**Further information** 

Fertilizer. For use by professional users and the general public.

Note: After rinsing with plenty of water, empty bags can be transported to licensed units / management organizations

#### 15.2 Chemical safety assessment

The Chemical Safety Assessments of the mixture's components have been performed.

according to Regulation (EC) No. 1907/2006 (REACH) regulation (EU) No 453/2010 and regulation (EC) No 830/2015



Version: 1.1

Revision date: 14/09/2017

Date of previous issue:

# Fertilizer Complefert magni-bor 20-5-10+18SO<sub>3</sub>+2MgO+0,5B

## SECTION 16: OTHER INFORMATION

This product is not subject to Regulation (EU) 98/2013, but all suspicious transactions, disappearances and thefts should be reported to the relevant authority.

### Full text of H-Statements referred to under sections 2 and 3

H272: May intensify fire; oxidiser.

H302: Harmful if swallowed.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

### **Revised points:**

**SECTION 16** 

#### Acronyms and abbreviations

ADR:European Agreement concerning the International Carriage of Dangerous Goods by Road (2015)CAS No:Chemical Abstracts Service NumberEmS:Emergency SchedulesEINECS No:European Inventory of Existing Commercial Chemical Substances NumberGHS:Globally Harmonized System of Classification and Labelling of ChemicalsIATA-DGR:International Air Transport Association's-Dangerous Goods Regulations (56th edition)ICAO-TI:International Civil Aviation Organization's-Technical InstructionsIMDG Code:International Maritime Dangerous Goods Code (36th - 37th amendment)RID:Regulations Concerning the International Transport of Dangerous Goods by Rail

This Safety Data Sheet was elaborated on the basis of information provided by the manufacturer, as well as, suppliers of individual components and on the basis of data in publicly accessible databases.

All information provided herein is deemed reliable and is intended to ensure optimal protection during transport, handling and storage of our products.

However, the present should not be considered as a warranty or quality specification.

#### Department issuing MSDS:

HELLAGROLIP SA Pentelis 34A 175 64, Palaio Faliro, Attiki, Greece

#### For information contact:

HELLAGROLIP SA Pentelis 34<sup>A</sup>, 175 64, Palaio Faliro, Attiki, Greece Tel.: +30 2510 317127 and +30 2130 037616, Fax: +30 210 9408198, e-mail: <u>g.director@hellagrolip.com</u>